

INDIVIDUAL DESIGN / ZE-15

# Off Grid Field Office

1-storey portable office / 160 sq ft enclosed

An 8 x 20 ft portable office with Forest-green heavy corrugated steel, protected black windows and low-mounted rooftop solar; flat container roof.

## 8' x 20'

160 SQ FT ENCLOSED / 1 STOREY

FLOOR PLANS + FOUR EXTERIOR VIEWS




ORIGINAL EXTERIOR CONCEPT / CLIENT REFERENCE INSPIRED

ISLAMABAD / DESIGN COLLECTION 2026

01 / CLIENT LAYOUT REVISION

# Ground floor. Planned around your brief.

Nominal feet, before wall deductions. Numbered spaces correspond to the room schedule below.



ROOM SCHEDULE / DIMENSIONS IN FEET

**01 Review / briefing**

12' x 8' / 96 sq ft

**02 Comms / desk**

4' x 8' / 32 sq ft

**03 Kitchen**

4' x 8' / 32 sq ft

Blue: glazing. Red arcs: indicative doors. All final openings and clearances are developed for the approved layout. Kitchen counters include a sink and hob. Open sides keep entrance, landing and corridor routes clear.

02 / EXTERIOR DESIGN

# The same design. Every side.

Four original visualizations illustrate this individual concept. Openings and construction details remain schematic.



**FRONT / ENTRY FACADE**

20' nominal span / 1 enclosed storey



**REAR / SERVICE FACADE**

20' nominal span / 1 enclosed storey

FINISH DIRECTION: Forest-green heavy corrugated steel, protected black windows and low-mounted rooftop solar; flat container roof.

Images depict a concept finish. Exact window locations, heights, stairs and roof assemblies are coordinated with the measured layout before fabrication.

02 / EXTERIOR DESIGN

# The same design. Every side.

Four original visualizations illustrate this individual concept. Openings and construction details remain schematic.



LEFT / END VIEW

8' nominal span / 1 enclosed storey



RIGHT / END VIEW

8' nominal span / 1 enclosed storey

FINISH DIRECTION: Forest-green heavy corrugated steel, protected black windows and low-mounted rooftop solar; flat container roof.

Images depict a concept finish. Exact window locations, heights, stairs and roof assemblies are coordinated with the measured layout before fabrication.

03 / MATERIALS & PROGRAMME

# Details for this design.

A defined visual direction and spatial brief for the project quotation.

|                         |                                                                                                                                        |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Building                | 8 x 20 ft footprint; 1 enclosed storey(s); 0 bedroom(s).                                                                               |
| Enclosed floor area     | 160 sq ft per floor / 160 sq ft total, before wall deductions.                                                                         |
| Exterior palette        | Forest-green heavy corrugated steel, protected black windows and low-mounted rooftop solar; flat container roof.                       |
| Roof & outdoor space    | Flat container-style corrugated steel roof with level perimeter rails; concealed drainage falls coordinated during detailing.          |
| Structure               | Fabricated or joined steel modules; foundation, openings, connections and lifting points engineered for site conditions.               |
| Comfort & finish        | Insulated walls and roof; selected internal linings and floor finish; washable wet-area surfaces.                                      |
| Glazing & doors         | Opening schedule coordinated with rooms, privacy, escape and ventilation; safety glass and hardware specified individually.            |
| Electrical & services   | Power, lighting, sockets and data developed to suit use. Plumbing, water supply and drainage coordinated with available site services. |
| Circulation & access    | Door swings and furniture are indicative; confirm finished clearances and accessible circulation.                                      |
| Delivery & installation | Transport route, crane access, supports, anchoring and connections agreed before manufacture.                                          |

Concept proposal only. Final engineering, quantities, approvals and price are established for the selected design and site.

04 / CLIENT MATERIAL STANDARD

# Materials. As specified by Zaka.

Complete client-supplied specification / part 1 of 5. Selection and inclusion follow the approved quotation.

## 01. SHIPPING CONTAINER

Material: Original Shipping Container / Corten Steel Container  
Construction: Heavy-Duty Corrugated Steel Structure  
Body: Weather-resistant Corten Steel  
Floor: Original Container Flooring, where specified  
Doors: Original/Modified Container Steel Doors  
Corner Posts: Heavy-Duty Original Container Corner Castings & Posts  
Protection: Anti-Rust Primer & Protective Paint Coating  
Application: Offices, Rooms, Homes, Stores, Site Offices, Cafés, Restaurants, Guard Rooms, Control Rooms and Customized Structures.

## 02. PREFAB SANDWICH PANEL

Type: Insulated Prefabricated Sandwich Panel  
Standard Thickness: 2" (50 mm)  
Application: Walls & Roof  
Construction: Insulated Core with Protective Metal Sheets  
Properties: Thermal Insulation, Heat Resistance, Moisture Resistance and Weather Resistance  
Surface: Smooth & Ready for Finishing  
Installation: Interlocking / Properly Fixed Panel System  
Application: Offices, Classrooms, Homes, Kitchens, Stores, Cabins and Commercial Units.

## 03. GI U-SECTION

Material: Galvanized Iron (GI) Steel  
Standard Gauge: 18 / 20 SWG according to project requirement  
Type: U-Section Profile  
Finish: Galvanized / Corrosion Resistant  
Application: Sandwich panel framing, joining, partition framing and structural support  
Properties: Lightweight, Durable, Corrosion Resistant and Easy to Install.

## 04. FIBER CEMENT BOARD

Product: Fiber Cement Board / Cement Board  
Country of Origin: Sri Lanka  
Standard Sheet Size: 4' x 8'  
Available Thickness: 6 mm / 8 mm / 9 mm / 12 mm according to requirement  
Composition: Cement, Cellulose/Reinforcing Fibers and Mineral Components  
Surface: Smooth & Suitable for Paint / Tile Finishing  
Water Resistance: Water & Moisture Resistant  
Fire Performance: Fire Resistant / Non-Combustible, subject to manufacturer's certified rating  
Termite Resistance: Termite Resistant  
Fungus Resistance: Resistant to Fungus & Mould  
Rot Resistance: Rot Resistant  
Dimensional Stability: Resistant to Warping and Swelling  
Durability: High Strength & Long Service Life  
Applications: Interior Walls, Exterior Walls, Partitions, Ceilings, Bathrooms, Kitchens, Wet Areas and Prefabricated Structures.

04 / CLIENT MATERIAL STANDARD

# Materials. As specified by Zaka.

Complete client-supplied specification / part 2 of 5. Selection and inclusion follow the approved quotation.

## 05. GLASS WOOL INSULATION

Material: Glass Wool Thermal & Acoustic Insulation

Application: Walls & Roof

Purpose: Heat Insulation & Sound Reduction

Properties: Thermal Insulation, Acoustic Performance and Lightweight Construction

Installation: Installed within wall/roof cavity as per project design

Application: Offices, Homes, Classrooms, Control Rooms, Server Rooms and Commercial Structures.

## 06. MS STEEL PIPE / STRUCTURAL FRAME

Material: Mild Steel (MS)

Type: Square / Rectangular / Round Pipe

Gauge: According to structural and project requirements

Application: Main structure, roof framing, floor framing, supports and cross members

Properties: High Strength, Durable, Weldable and Suitable for Heavy-Duty Fabrication

Protection: Anti-Rust Primer & Paint Coating.

## 07. ALUMINIUM WINDOWS

Frame: Aluminium Profile

Type: Sliding / Fixed / Openable

Glass: Clear / Toughened / Other glass according to requirement

Hardware: Handles, Rollers, Locks & Necessary Accessories

Properties: Lightweight, Corrosion Resistant, Durable and Low Maintenance

Application: Offices, Homes, Classrooms, Cabins, Kitchens and Commercial Units.

## 08. ALUMINIUM DOORS

Frame: Aluminium Profile

Type: Sliding / Hinged / Full Glass Door

Glass: Clear / Toughened Glass according to requirement

Hardware: Heavy-Duty Hinges, Handles, Locks & Accessories

Properties: Durable, Corrosion Resistant, Low Maintenance and Modern Finish.

## 09. GLASS

Types Available: Clear Glass / Toughened Glass / Decorative Glass according to requirement

Application: Doors, Windows, Partitions, Front Elevations and Commercial Structures

Properties: Clear Visibility, Modern Appearance and Easy Maintenance

Thickness: According to design and safety requirements.

04 / CLIENT MATERIAL STANDARD

# Materials. As specified by Zaka.

Complete client-supplied specification / part 3 of 5. Selection and inclusion follow the approved quotation.

## 10. FLOORING - TILE

Material: Ceramic / Porcelain Floor Tiles  
Finish: Matt / Gloss according to requirement  
Application: Offices, Homes, Kitchens, Washrooms and Commercial Units  
Properties: Durable, Easy to Clean, Moisture Resistant and Suitable for Regular Use  
Installation: Properly leveled surface with suitable adhesive/grouting.

## 11. PVC / VINYL FLOORING

Material: PVC / Vinyl Flooring  
Application: Offices, Classrooms, Cabins, Homes and Commercial Spaces  
Properties: Water Resistant, Easy to Clean, Durable and Low Maintenance  
Finish: Available in different colors, patterns and textures according to client selection.

## 12. ORIGINAL CONTAINER FLOOR

Material: Original Shipping Container Floor Boards  
Type: Heavy-Duty Container Flooring  
Application: Container Offices, Rooms, Homes, Stores and Customized Containers  
Properties: Strong, Durable and Designed for Heavy Use  
Finishing: Can be covered with PVC, Vinyl, Rubber Mat or Tiles according to project requirement.

## 13. PVC CEILING

Material: PVC Ceiling Panels  
Application: Interior Ceilings  
Properties: Moisture Resistant, Easy to Clean, Lightweight and Low Maintenance  
Application: Offices, Kitchens, Washrooms, Homes, Cabins and Commercial Units.

## 14. ELECTRICAL SYSTEM

Wiring: Quality Electrical Cables  
Installation: Concealed / Duct Patti Wiring according to project design  
Lighting: Indoor LED Lights & Outdoor Lights where specified  
Accessories: Switches, Sockets, Power Points, Fan Points and Light Points  
Protection: Distribution Board & Circuit Breakers according to electrical load  
Application: Complete electrical installation according to project requirements.

## 15. PLUMBING SYSTEM

Water Supply: PPR / Suitable Plumbing Pipes  
Drainage: PVC Drainage Pipes  
Fittings: Quality Plumbing Fittings  
Sanitary Items: WC, Wash Basin, Shower, Taps, Floor Drain and Accessories where specified  
Application: Washrooms, Kitchens, Cafés, Homes and Commercial Units.

04 / CLIENT MATERIAL STANDARD

# Materials. As specified by Zaka.

Complete client-supplied specification / part 4 of 5. Selection and inclusion follow the approved quotation.

## 16. KITCHEN / PANTRY

Counter: MS / Steel Structure with Suitable Countertop

Sink: Stainless Steel Kitchen Sink

Storage: Shelves / Cabinets according to design

Plumbing: Water Supply & Drainage Points

Electrical: Required Power & Appliance Points

Finish: Durable and Easy-to-Clean Surface.

## 17. DOORS & HARDWARE

Hardware Includes:

- Door Locks
- Handles
- Hinges
- Bolts
- Screws
- Fasteners
- Brackets
- Sealants
- Silicone
- Required Installation Accessories

Quality: Heavy-Duty & Suitable for Long-Term Use.

## 18. PAINT & SURFACE PROTECTION

Surface Preparation: Cleaning, Grinding & Preparation

Primer: Anti-Rust Metal Primer for Steel Structures

Coating: Quality Protective Paint

Finish: Smooth & Uniform Finish

Properties: Weather Resistant, Corrosion Protection and Improved Service Life.

## 19. STEEL FABRICATION

Materials: MS Pipes, GI Sections, Angles, Flat Bars, Supports & Cross Members

Process: Cutting, Welding, Grinding, Assembly & Finishing

Application: Container Modification, Prefab Structures, Roofs, Floors, Stairs, Supports and Customized Fabrication.

04 / CLIENT MATERIAL STANDARD

# Materials. As specified by Zaka.

Complete client-supplied specification / part 5 of 5. Selection and inclusion follow the approved quotation.

## 20. GENERAL INSTALLATION & FINISHING

Our projects may include, according to the selected design and quotation:

- Material Transportation
- Loading & Unloading
- On-Site Installation
- Panel Installation
- Steel Fabrication
- Electrical Installation
- Plumbing Installation
- Door & Window Installation
- Flooring Installation
- Ceiling Installation
- Painting & Finishing
- Final Inspection & Touch-Up

## QUALITY & CUSTOMIZATION

At Zaka Engineering Containers & Prefab (Pvt) Ltd, material specifications are selected according to the project's application, design, dimensions and client requirements.

Available Customizations:

- Different panel thicknesses
- Different steel gauges
- Different insulation options
- Different flooring systems
- Aluminium / Steel / Glass doors
- Aluminium windows
- Electrical & plumbing packages
- Kitchens & washrooms
- Interior partitions
- Ceiling systems
- Custom dimensions and layouts
- Special-purpose container modifications

Note: Final material thickness, gauge, brand, finish and accessories shall be as per the approved quotation, design and project requirements.

05 / MAKE IT YOURS

# A clear plan for your next step.

Bring us your site and requirements. We will help develop the layout, scope, and quotation for your project.

BEFORE WE DESIGN

- 01 Intended use and number of occupants
- 02 City, site access and available footprint
- 03 Preferred room layout and finish palette
- 04 Available power, water and drainage
- 05 Budget range and desired delivery timeline

## LET'S BUILD YOUR SPACE.

Zaka Engineering Containers & Prefab (Pvt. Ltd.)

+92 340 5221225

zakaurrehman3020@gmail.com

zakaengineeringcontainers.com

Main Jinnah Avenue, near Bukhari Chowk (Attock Petrol), New Mal,  
Islamabad

REFERENCE & DESIGN NOTES

Architecture direction informed by client-assets references, then developed as an original concept. All measurements are nominal feet; wall thicknesses are not deducted. Wider modules require fabricated or joined frames. Original drawings in this catalogue are newly authored schematic interpretations, not reproductions of approved engineering drawings.