

Silver One Bedroom Home

A one-bedroom home with a separate service bay, kitchen, washroom and storage, opening into a bright living and dining room. Exterior: Light-grey corrugated steel, white fascia and charcoal window frames; flat container roof.

12 x 32 ft

384 sq ft enclosed

FLAT CONTAINER ROOF / CORRUGATED STEEL




PHOTOREALISTIC EXTERIOR / REVISED ROOF & CLADDING

01 / GROUND FLOOR

12 x 32 ft. Planned for daily use.

Nominal feet before wall deductions. Furniture, door swings and opening tags are shown.



ROOMS / NOMINAL DIMENSIONS

Bedroom: 12 x 12 ft / 144 sq ft | Service bay: 8 x 12 ft / 96 sq ft | Living / dining: 12 x 12 ft / 144 sq ft

Front / main entrance is at the bottom of plan. A separate opening schedule follows.

02 / ROOMS & CIRCULATION

A place for every function.

Room sizes reconcile with the external footprint. Service rooms are included in their parent zones.

Bedroom

12 x 12 ft / 144 sq ft; double bed with solid-wall headboard and wardrobe.

Service bay

8 x 12 ft / 96 sq ft; kitchen 8 x 4 ft with sink/prep/hob under the front window, passage 8 x 3 ft, washroom 5 x 5 ft and store 3 x 5 ft.

Living / dining

12 x 12 ft / 144 sq ft; main entrance and end-wall kitchen-side glazing.

Footprint

32 x 12 ft = 384 sq ft gross enclosed area.

Entry / circulation

Main entry, service doors, partitions and furniture positions follow the dimensioned plan.

Finish direction

Grey, charcoal and white steel surfaces; #815D6A border accent.

Sleeping furniture: double beds 5 x 6.5 ft, headboards against solid walls, minimum 2.5 ft bedside and foot access. Wardrobes are 2 ft deep.

03 / DOORS & WINDOWS

Every opening. Clearly scheduled.

Window and hatch sizes are width x height. Tags correspond to the floor plan; front is the bottom edge.

D1 / Main entrance	4 ft wide x 7 ft high; 1 opening(s).
D2 / Internal / staff door	2.5 ft wide, 2.6 ft wide x 7 ft high; 3 opening(s).
D3 / Washroom door	2.5 ft wide x 7 ft high; 1 opening(s).
V1 / High-level washroom vent	2 ft wide x 1.5 ft high; 1 opening(s).
W1 / Window	4 ft wide x 4 ft high; 2 opening(s).
W2 / Window	6 ft wide x 4 ft high; 2 opening(s).

Glazing and door hardware, sill levels, safety glass, ventilation and clear openings require final coordination. Food-service fit-out and hygiene finishes follow the selected equipment and operating requirements.

EXTERIOR / ROOF & CLADDING

The same design. Every side.

Revised corrugated steel construction and roof profile. Measured plans control the openings.



FRONT / ENTRY PERSPECTIVE

Light-grey corrugated steel, white fascia and charcoal window frames



REAR / SERVICE PERSPECTIVE

Light-grey corrugated steel, white fascia and charcoal window frames

ROOF: Flat container-style corrugated steel roof with level perimeter rails; concealed drainage falls coordinated during detailing.

Concept images illustrate materials and roof form. Exact opening sizes and positions, stairs and circulation follow the approved measured plans.

EXTERIOR / ROOF & CLADDING

The same design. Every side.

Revised corrugated steel construction and roof profile. Measured plans control the openings.



LEFT / END PERSPECTIVE

Light-grey corrugated steel, white fascia and charcoal window frames



RIGHT / END PERSPECTIVE

Light-grey corrugated steel, white fascia and charcoal window frames

ROOF: Flat container-style corrugated steel roof with level perimeter rails; concealed drainage falls coordinated during detailing.

Concept images illustrate materials and roof form. Exact opening sizes and positions, stairs and circulation follow the approved measured plans.

MATERIALS / INDIVIDUAL DESIGN

Corrugated steel. Defined roof form.

Roof and wall specification revised to match the selected building width.

Building	Silver One Bedroom Home / 12 x 32 ft
Floor area	384 sq ft enclosed
Exterior walls	Deep vertical shipping-container-style corrugated steel cladding with visible steel corner posts and top/bottom perimeter rails.
Roof profile	Flat container-style corrugated steel roof with level perimeter rails; concealed drainage falls coordinated during detailing.
Exterior palette	Light-grey corrugated steel, white fascia and charcoal window frames.
Structure / enclosure	Fabricated or joined steel modules with insulation, weatherproof flashings and engineered supports and connections.
Openings / services	Room access, kitchen and washroom positions, window sizes and furniture follow the approved plans and opening schedule.
Delivery / installation	Transport route, crane access, anchoring, water, drainage and electrical connections coordinated for the site.

Concept specification. Final roof falls, support sizes, waterproofing and drainage are coordinated before fabrication. Complete material standards follow.

04 / CLIENT MATERIAL STANDARD

Materials. As specified by Zaka.

Complete client-supplied specification / part 1 of 5. Selection and inclusion follow the approved quotation.

01. SHIPPING CONTAINER

Material: Original Shipping Container / Corten Steel Container
Construction: Heavy-Duty Corrugated Steel Structure
Body: Weather-resistant Corten Steel
Floor: Original Container Flooring, where specified
Doors: Original/Modified Container Steel Doors
Corner Posts: Heavy-Duty Original Container Corner Castings & Posts
Protection: Anti-Rust Primer & Protective Paint Coating
Application: Offices, Rooms, Homes, Stores, Site Offices, Cafés, Restaurants, Guard Rooms, Control Rooms and Customized Structures.

02. PREFAB SANDWICH PANEL

Type: Insulated Prefabricated Sandwich Panel
Standard Thickness: 2" (50 mm)
Application: Walls & Roof
Construction: Insulated Core with Protective Metal Sheets
Properties: Thermal Insulation, Heat Resistance, Moisture Resistance and Weather Resistance
Surface: Smooth & Ready for Finishing
Installation: Interlocking / Properly Fixed Panel System
Application: Offices, Classrooms, Homes, Kitchens, Stores, Cabins and Commercial Units.

03. GI U-SECTION

Material: Galvanized Iron (GI) Steel
Standard Gauge: 18 / 20 SWG according to project requirement
Type: U-Section Profile
Finish: Galvanized / Corrosion Resistant
Application: Sandwich panel framing, joining, partition framing and structural support
Properties: Lightweight, Durable, Corrosion Resistant and Easy to Install.

04. FIBER CEMENT BOARD

Product: Fiber Cement Board / Cement Board
Country of Origin: Sri Lanka
Standard Sheet Size: 4' x 8'
Available Thickness: 6 mm / 8 mm / 9 mm / 12 mm according to requirement
Composition: Cement, Cellulose/Reinforcing Fibers and Mineral Components
Surface: Smooth & Suitable for Paint / Tile Finishing
Water Resistance: Water & Moisture Resistant
Fire Performance: Fire Resistant / Non-Combustible, subject to manufacturer's certified rating
Termite Resistance: Termite Resistant
Fungus Resistance: Resistant to Fungus & Mould
Rot Resistance: Rot Resistant
Dimensional Stability: Resistant to Warping and Swelling
Durability: High Strength & Long Service Life
Applications: Interior Walls, Exterior Walls, Partitions, Ceilings, Bathrooms, Kitchens, Wet Areas and Prefabricated Structures.

04 / CLIENT MATERIAL STANDARD

Materials. As specified by Zaka.

Complete client-supplied specification / part 2 of 5. Selection and inclusion follow the approved quotation.

05. GLASS WOOL INSULATION

Material: Glass Wool Thermal & Acoustic Insulation

Application: Walls & Roof

Purpose: Heat Insulation & Sound Reduction

Properties: Thermal Insulation, Acoustic Performance and Lightweight Construction

Installation: Installed within wall/roof cavity as per project design

Application: Offices, Homes, Classrooms, Control Rooms, Server Rooms and Commercial Structures.

06. MS STEEL PIPE / STRUCTURAL FRAME

Material: Mild Steel (MS)

Type: Square / Rectangular / Round Pipe

Gauge: According to structural and project requirements

Application: Main structure, roof framing, floor framing, supports and cross members

Properties: High Strength, Durable, Weldable and Suitable for Heavy-Duty Fabrication

Protection: Anti-Rust Primer & Paint Coating.

07. ALUMINIUM WINDOWS

Frame: Aluminium Profile

Type: Sliding / Fixed / Openable

Glass: Clear / Toughened / Other glass according to requirement

Hardware: Handles, Rollers, Locks & Necessary Accessories

Properties: Lightweight, Corrosion Resistant, Durable and Low Maintenance

Application: Offices, Homes, Classrooms, Cabins, Kitchens and Commercial Units.

08. ALUMINIUM DOORS

Frame: Aluminium Profile

Type: Sliding / Hinged / Full Glass Door

Glass: Clear / Toughened Glass according to requirement

Hardware: Heavy-Duty Hinges, Handles, Locks & Accessories

Properties: Durable, Corrosion Resistant, Low Maintenance and Modern Finish.

09. GLASS

Types Available: Clear Glass / Toughened Glass / Decorative Glass according to requirement

Application: Doors, Windows, Partitions, Front Elevations and Commercial Structures

Properties: Clear Visibility, Modern Appearance and Easy Maintenance

Thickness: According to design and safety requirements.

04 / CLIENT MATERIAL STANDARD

Materials. As specified by Zaka.

Complete client-supplied specification / part 3 of 5. Selection and inclusion follow the approved quotation.

10. FLOORING - TILE

Material: Ceramic / Porcelain Floor Tiles

Finish: Matt / Gloss according to requirement

Application: Offices, Homes, Kitchens, Washrooms and Commercial Units

Properties: Durable, Easy to Clean, Moisture Resistant and Suitable for Regular Use

Installation: Properly leveled surface with suitable adhesive/grouting.

11. PVC / VINYL FLOORING

Material: PVC / Vinyl Flooring

Application: Offices, Classrooms, Cabins, Homes and Commercial Spaces

Properties: Water Resistant, Easy to Clean, Durable and Low Maintenance

Finish: Available in different colors, patterns and textures according to client selection.

12. ORIGINAL CONTAINER FLOOR

Material: Original Shipping Container Floor Boards

Type: Heavy-Duty Container Flooring

Application: Container Offices, Rooms, Homes, Stores and Customized Containers

Properties: Strong, Durable and Designed for Heavy Use

Finishing: Can be covered with PVC, Vinyl, Rubber Mat or Tiles according to project requirement.

13. PVC CEILING

Material: PVC Ceiling Panels

Application: Interior Ceilings

Properties: Moisture Resistant, Easy to Clean, Lightweight and Low Maintenance

Application: Offices, Kitchens, Washrooms, Homes, Cabins and Commercial Units.

14. ELECTRICAL SYSTEM

Wiring: Quality Electrical Cables

Installation: Concealed / Duct Patti Wiring according to project design

Lighting: Indoor LED Lights & Outdoor Lights where specified

Accessories: Switches, Sockets, Power Points, Fan Points and Light Points

Protection: Distribution Board & Circuit Breakers according to electrical load

Application: Complete electrical installation according to project requirements.

15. PLUMBING SYSTEM

Water Supply: PPR / Suitable Plumbing Pipes

Drainage: PVC Drainage Pipes

Fittings: Quality Plumbing Fittings

Sanitary Items: WC, Wash Basin, Shower, Taps, Floor Drain and Accessories where specified

Application: Washrooms, Kitchens, Cafés, Homes and Commercial Units.

04 / CLIENT MATERIAL STANDARD

Materials. As specified by Zaka.

Complete client-supplied specification / part 4 of 5. Selection and inclusion follow the approved quotation.

16. KITCHEN / PANTRY

Counter: MS / Steel Structure with Suitable Countertop

Sink: Stainless Steel Kitchen Sink

Storage: Shelves / Cabinets according to design

Plumbing: Water Supply & Drainage Points

Electrical: Required Power & Appliance Points

Finish: Durable and Easy-to-Clean Surface.

17. DOORS & HARDWARE

Hardware Includes:

- Door Locks
- Handles
- Hinges
- Bolts
- Screws
- Fasteners
- Brackets
- Sealants
- Silicone
- Required Installation Accessories

Quality: Heavy-Duty & Suitable for Long-Term Use.

18. PAINT & SURFACE PROTECTION

Surface Preparation: Cleaning, Grinding & Preparation

Primer: Anti-Rust Metal Primer for Steel Structures

Coating: Quality Protective Paint

Finish: Smooth & Uniform Finish

Properties: Weather Resistant, Corrosion Protection and Improved Service Life.

19. STEEL FABRICATION

Materials: MS Pipes, GI Sections, Angles, Flat Bars, Supports & Cross Members

Process: Cutting, Welding, Grinding, Assembly & Finishing

Application: Container Modification, Prefab Structures, Roofs, Floors, Stairs, Supports and Customized Fabrication.

04 / CLIENT MATERIAL STANDARD

Materials. As specified by Zaka.

Complete client-supplied specification / part 5 of 5. Selection and inclusion follow the approved quotation.

20. GENERAL INSTALLATION & FINISHING

Our projects may include, according to the selected design and quotation:

- Material Transportation
- Loading & Unloading
- On-Site Installation
- Panel Installation
- Steel Fabrication
- Electrical Installation
- Plumbing Installation
- Door & Window Installation
- Flooring Installation
- Ceiling Installation
- Painting & Finishing
- Final Inspection & Touch-Up

QUALITY & CUSTOMIZATION

At Zaka Engineering Containers & Prefab (Pvt) Ltd, material specifications are selected according to the project's application, design, dimensions and client requirements.

Available Customizations:

- Different panel thicknesses
- Different steel gauges
- Different insulation options
- Different flooring systems
- Aluminium / Steel / Glass doors
- Aluminium windows
- Electrical & plumbing packages
- Kitchens & washrooms
- Interior partitions
- Ceiling systems
- Custom dimensions and layouts
- Special-purpose container modifications

Note: Final material thickness, gauge, brand, finish and accessories shall be as per the approved quotation, design and project requirements.

05 / MAKE IT YOURS

A clear plan for your next step.

Bring us your site and requirements. We will help develop the layout, scope, and quotation for your project.

BEFORE WE DESIGN

- 01 Intended use and number of occupants
- 02 City, site access and available footprint
- 03 Preferred room layout and finish palette
- 04 Available power, water and drainage
- 05 Budget range and desired delivery timeline

LET'S BUILD YOUR SPACE.

Zaka Engineering Containers & Prefab (Pvt. Ltd.)

+92 340 5221225

zakaurrehman3020@gmail.com

zakaengineeringcontainers.com

Main Jinnah Avenue, near Bukhari Chowk (Attock Petrol), New Mal,
Islamabad

REFERENCE & DESIGN NOTES

Architecture direction informed by client-assets references, then developed as an original concept. All measurements are nominal feet; wall thicknesses are not deducted. Wider modules require fabricated or joined frames. Original drawings in this catalogue are newly authored schematic interpretations, not reproductions of approved engineering drawings.